



July 16th - August 10th, 2007 - Istanbul, Turkey

eINTERFACE '07

The SIMILAR NoE Summer Workshop on Multimodal Interfaces



DTI Project

A DTI Analysis & Visualization Tool with Haptic Interaction



M. Aksoy, N. Avcu, S. Merino-Caviedes, D. Diktas, M.A. Martin-Fernandez,
S. Girgin, I. Marras, E. Munoz-Moreno, E. Tekeli, B. Acar, R. Bammer,
M.M. Fernandez, A.V. Sahiner, S. Uskudarli

www.vavlab.ee.boun.edu.tr



hosted by Boğaziçi University, *Multimedia Group*



Project Goal


DTI Project aimed at developing a proof-of-concept DTI analysis and visualization tool with the following capabilities:

- □ Integration of SIMILAR Tensor Array Core (STAC) into VAVframe data structure
- □ DWI-to-DTI conversion (tensor field estimation)
- □ Basic fiber tractography
- □ Split & Merge Fiber Tractography

- □ Haptic Slicing
- □ Haptic ROI shaping and positioning

Diffusion Tensor - MRI Reminder

DT-MRI is a recent technique providing information about the geometry of fiberous structures by modeling the diffusion pattern of water molecules with a second order tensor.



STAC



- array_dimensionality
 - array_size
 - array_index_names
 - array_tensor_metric
-
- tensor_order
 - tensor_index_types
 - tensor_index_names
 - tensor_name
-
- description

} Data Grid Description / Physical World

} Tensor Description

DWI-to-DTI

eINTERFACE '07


The SIMILAR NoE
Summer Workshop
on Multimodal Interfaces



$$\begin{aligned}
 M_k &= M_0 \exp \left(- \sum_{i \in x,y,z} \sum_{j \in x,y,z} b_k^{ij} D_{ij} \right) \\
 \mathbf{b}_k &= \begin{pmatrix} b_k^{xx} & b_k^{xy} & b_k^{xz} \\ b_k^{yx} & b_k^{yy} & b_k^{yz} \\ b_k^{zx} & b_k^{zy} & b_k^{zz} \end{pmatrix} = b_k \mathbf{r}_k \mathbf{r}_k^T \\
 \mathbf{D} &= \begin{pmatrix} D_{xx} & D_{xy} & D_{xz} \\ D_{yx} & D_{yy} & D_{yz} \\ D_{zx} & D_{zy} & D_{zz} \end{pmatrix}
 \end{aligned}
 \quad \xrightarrow{\hspace{1cm}} \quad
 \begin{aligned}
 \begin{pmatrix} \ln(M_1) \\ \ln(M_2) \\ \vdots \\ \ln(M_N) \end{pmatrix} &= \begin{pmatrix} 1 & -b_1^{xx} & \cdots & -b_1^{zz} \\ 1 & -b_2^{xx} & \cdots & -b_2^{zz} \\ \ddots & \ddots & \ddots & \vdots \\ 1 & -b_N^{xx} & \cdots & -b_N^{zz} \end{pmatrix} \begin{pmatrix} \ln(M_0) \\ D_{xx} \\ \vdots \\ D_{zz} \end{pmatrix} \\
 \mathbf{S} &= \mathbf{M} \mathbf{d} \\
 \mathbf{d} &= (\mathbf{M}^T \mathbf{M})^{-1} \mathbf{M}^T \mathbf{S}
 \end{aligned}$$



Basic Tractography



$$\mathbf{r}_{n+1} = \mathbf{r}_n + h\mathbf{V}_{n+1}$$

4th Order Runge-Kutta

$$\mathbf{V}_{n+1} = \frac{1}{6} (\mathbf{k}_1 + 2\mathbf{k}_2 + 2\mathbf{k}_3 + \mathbf{k}_4),$$

$$\mathbf{k}_1 = \frac{\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n)}{|\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n)|} \mathbf{E}(\mathbf{r}_n),$$


$$\mathbf{k}_2 = \frac{\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n + h/2\mathbf{k}_1)}{|\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n + h/2\mathbf{k}_1)|} \mathbf{E}(\mathbf{r}_n + h/2\mathbf{k}_1),$$

$$\mathbf{k}_3 = \frac{\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n + h/2\mathbf{k}_2)}{|\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n + h/2\mathbf{k}_2)|} \mathbf{E}(\mathbf{r}_n + h/2\mathbf{k}_2)$$

$$\mathbf{k}_4 = \frac{\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n + h\mathbf{k}_3)}{|\mathbf{V}_n \cdot \mathbf{E}(\mathbf{r}_n + h\mathbf{k}_3)|} \mathbf{E}(\mathbf{r}_n + h\mathbf{k}_3).$$

Euler

$$\mathbf{V}_{n+1} = \mathbf{E}(\mathbf{r}_{n+1})$$




SMT



SMT (Split & Merge Tractography) is a combination of basic tractography and probabilistic connectivity analysis in a Bayesian framework.


It aims at combining the advantages of both approaches.



See *MICCAI 2007 (Brisbane, Australia)* for further details
or visit www.vavlab.ee.boun.edu.tr




Base Application






Haptic Interface Architecture

Qt



Haptic Messenger

- Q Object



Visualization Operations

- QVTK-Widget environment
- VTK (www.kitware.com)
- 50 Hz update rate


Haptic Device Operations

- QGL-Widget environment
- CHAI-3D (www.chai3d.org)
- 1000 Hz update rate



Haptic Slicing & ROI

Demo Video





Missing Parts

- Fine tuning of the haptic interface for clinic usability
- Integration of tractography output with the haptic interface
- Integration of SMT algorithm

Future Direction: 3D stereo vision