

# Partner and Service Discovery for Collaboration Establishment with Semantic Web Services

Michael Stollberg, Uwe Keller, Dieter Fensel  
DERI – Digital Enterprise Research Institute  
University of Innsbruck, Austria  
{michael.stollberg, uwe.keller, dieter.fensel}@deri.org

## Abstract

*The ultimate goal of the Semantic Web is to enable automated collaboration over the Internet, based on ontologies as semantic terminology definitions and Web Services as computational facilities accessible over the Web. An essential functionality for collaboration support on the Semantic Web is detection of entities, services, and other resources that are to be used for achieving a successful collaboration. This is commonly referred to as discovery, wherefore the emerging concept of Semantic Web Services promises more effective support than conventional Web Service technologies: based on exhaustive semantic description frameworks, intelligent mechanisms are envisioned for discovery, composition, and contracting of Web Services. This paper outlines an approach for automated collaboration support using Semantic Web Services, and presents the realization of semantically driven discovery of cooperation partners and usable Web Services as a main component for collaboration establishment.*

## 1. Introduction

The Semantic Web, envisioned as the next generation of web technology, aims at advanced information processing along with ad-hoc combination and usage of services to allow automated interaction and collaboration over the Web. Therefore, three key technologies have been identified: ontologies for semantically enhanced information exchange, Web Services for reuse and interoperability of computational functionality, and agent technology for automated execution of tasks [2].

Web Services technologies shall enable automated and dynamic handling and execution of computational facilities. The current Web Service technology stack allows exchange of messages between Web Services

(SOAP), describing the technical interface for consuming a Web Service (WSDL), and advertising a Web Services in registries (UDDI). However, these technologies do neither support explicit functional descriptions of Web Services nor support ontologies for semantically enhanced information interchange definitions. Consequently, the emerging concept of Semantic Web Services aims at more sophisticated Web Service technologies: on basis of semantic description frameworks, intelligent mechanisms are envisioned for discovery, composition, and contracting of Web Services. Several research efforts are concerned with elaboration of Semantic Web Service technologies, mainly concentrated around OWL-S [10] and WSMO [13] as the most significant frameworks existing.

We develop a system for automated collaboration on the Semantic Web, supporting cooperative interaction of individuals for achieving complex objectives. Therefore, we coherently integrate software agents as electronic representatives of real-world entities involved in collaborative interactions, ontologies as the underlying data model, and Web Services as the computational facilities for automatically executing collaborations over the Web [14]. We develop mechanisms for semantically enhanced, automated collaboration establishment that realize techniques currently developed for Semantic Web Services. This paper presents efficient and high-precision mechanisms for detecting appropriate collaboration partners (Partner Discovery) and usable Web Services for collaboration execution (Service Discovery) as core components for collaboration establishment.

The paper is structured as follows: Section 2 identifies the functional requirements for partner and service discovery within our system; Section 3 explains the theoretic approach for partner and service discovery; Section 4 presents the discovery components architecture along with testing results; Section 5 discusses related work and concludes the paper.

## 2. Collaboration Framework

Collaboration is concerned with cooperative interaction of individuals for achieving complex objectives. Being a constitutive facet of society, we develop a system for supporting collaboration on the Semantic Web by integrating agents, ontologies, and Web Services. The following outlines our approach in order to expose the functional requirements for partner and service discovery, referring to [14] for a detailed presentation of the framework.

We assume that there are numerous entities that want to solve problems in a cooperative manner. Based on collaborations models, every entity has an objective to be achieved, and facilities as the means for performing collaborative problem solving. A collaboration between entities is considered to be potentially successful if the objectives of participating entities are compatible, and if their facilities are interoperable in the sense that an interaction of these performs collaboration execution. Figure 1 shows the system building blocks for a realization of this collaboration model.




Figure 1: Collaboration Model

Agents represent the entities that want to achieve individual objectives in collaboration with others. An agent carries a goal that represents the individual objective to be achieved, and Web Services provide the computational facilities that an agent can use for participating in a collaboration; a collaboration is executed automatically by interaction of the Web Services used by the collaboration partners. For automated, semantically driven collaboration management, all system elements carry semantic descriptions; with respect to emerging Semantic Web Service technologies, we align our element descriptions with the Web Service Modeling Ontology (WSMO) that defines exhaustive descriptions for ontologies, goals, and Web Services [13].

According to the above definition of successful collaborations, agents are considered as potential collaboration partners if their goals are compatible and if the Web Service they use are interoperable. An agent can

be assigned with several different goals during its lifetime that are resolved in separate collaborations.

Based on the semantic resource descriptions, different components establish and execute collaborations. Collaboration establishment is achieved by three components shown in Figure 2. Given a society of electronic representatives with unresolved goals, the Partner Discoverer detects potential cooperation partners by determining compatibility of the goals; concurrently, the Service Discoverer detects the services that can be used by the agent as facilities for automated collaboration execution. The results of partner and service discovery are unified into a preliminary collaboration that includes the agents as collaboration partners, their goals and a set of usable services. Then, the Choreography Discoverer determines the existence of a valid interaction protocol for automated collaboration execution as Web Service interaction. The resulting final collaboration contains only those services for each agent wherefore a valid choreography exists; this is executed, whereby the objectives of the participating entities are resolved.




Figure 2: Collaboration Establishment

Partner and service discovery in this framework are concerned with detection of potential partners and resources of potentially numerous entities and services existing in the system. This issue, referred to as the connection problem within the agent community [3], is of significant importance for enabling cooperation establishment on the Semantic Web. The remainder of this paper presents the realization of partner and service discovery as efficient and high-precision discovery mechanisms for collaboration establishment.

## 3. Approach for Discovery Realization

The prerequisite for correct and precise semantically driven discovery is provision of sufficient and well-defined knowledge. We consider the usage of Web Service as an action that results in changes of objects in the world. Hence, we distinguish two types of knowledge for resource descriptions: so-called *action knowledge* that denotes the actions performed in service execution, and *object knowledge* for describing

the items that an action is performed on. For example, in a goal ‘selling a brown chair made of wood’, the action is ‘selling’ and ‘a brown chair made of wood’ the object.

Semantically enabled discovery relies on determining whether certain relations hold between resource descriptions. These are different for action and object knowledge: while we are interested in compatibility of actions, the object definitions need to be not contradicting. Referring to the above example, a suitable collaboration partner for the example above would define a goal ‘buying a wooden chair’; therein, ‘buying’ denotes an action that is defined as being compatible to ‘selling’, while ‘a wooden chair’ defines an object that is not contradicting to the object of the seller goal described above. The following explains the means for describing resources according to the knowledge type distinction as well as the techniques applied for determining matchmaking.

### 3.1. Action-Resource Ontology

We define action knowledge in an *action-resource ontology* that specifies actions and their compatibilities as well as the relation between actions and resources. The ontology consists of a taxonomy of actions and a taxonomy of resources; an action has a symmetric, set-valued attribute *compatibleAction* that references to compatible actions; a resource has a set-valued attribute *hasAction* that denotes the actions belonging to the resource type; this resource type is referenced in concrete resource descriptions, so that all resources in an application are instances of the action-resource ontology. Figure 3 gives an example of an action-resource ontology with ‘buy’ and ‘sell’ as compatible actions that are related to respective resource types.

```

concept action
  compatibleAction symmetric ofType action
instance buy memberOf action
  compatibleAction hasValue sell
instance buy memberOf action
  compatibleAction hasValue buy

concept resource
  hasAction ofType action
concept goal subConceptOf resource
instance buyergoal memberOf goal
  hasAction hasValue buy
concept service subConceptOf resource
instance buyerservice memberOf service
  hasAction hasValue buy

```

Figure 3: Action Resource Ontology<sup>1</sup>

<sup>1</sup> The ontology is defined in WSML, the language for Semantic Web Service descriptions developed for WSMO. We refer to [4] for syntax and semantic specification of WSML.

This provides semantic definitions of actions along with compatibility notions that allow determining action compatibility or equality of resources. Although not displayed in the example, the action-resource ontology allows definitions of more complex action knowledge structures. For example, a buyer denotes the actions ‘buy’ and ‘ship’ for purchasing a product, a vendor denotes ‘sell’ as an action compatible to ‘buy’, and a deliverer defines ‘drop ship delivery’ as a compatible action to ‘ship’. Here, we determine that all three parties need to interact in a collaboration for resolving their respective goals, whereby the arity of the collaboration is determined by the symmetry of compatible action definitions.

### 3.2. Set-based Object Matchmaking

Object knowledge in resource descriptions is modeled as logical expressions that rely on domain ontologies, providing semantically unambiguous terminology in the domain of discourse. We use a set-based modeling approach for object definitions in the constituting notions of goals and service descriptions. This means that a logical expression describes a subset of the information space - that is all possible instances of the domain ontologies - that satisfies the object definition. For example, goal ‘buy a wooden chair’ specifies that all concrete instances of an ontology concept ‘chair’ that meet the condition of being made of wood that are applicable to satisfy the goal.


Formally, set-based modeling is implemented in a first-order logic  $L$  as follows: A resource, e.g. a Web Service or a goal, is considered as set  $R$  of concrete instances wrt. a set of ontologies  $O$ . The set of all possible instances of the Ontologies  $O$  is called the universe  $U$ ; hence,  $R \subseteq U$ . A (formal) *resource description* (relative to some set of Ontologies  $O$ ) is a pair  $(D_R, r_R)$  where  $D_R$  is a set of closed formulae in  $L$  and  $r_R$  is a unary predicate symbol in  $L$  which satisfies the following property:

$$I \text{ is a model of } D_R \text{ if } I(r_R) = R, \text{ for each } (1) \\ L\text{-interpretation } I \text{ that represents } O.$$

The discovery technique applied on set-based resource models is matchmaking of object definitions in resource descriptions. A match is achieved when the object definitions in the resources descriptions do not contradict. For determining this, we apply set-theoretic criteria defined in [7] that are extended into five matchmaking notions for semantically enabled discovery shown in Figure 4.

Each notion defines a different logical relationship between the resource descriptions considered for discovery. For example, the Exact Match defines re-

sources to be matching if the object definitions are exactly the same, i.e. the information space  $r_Q$  of a resource description  $r_Q$  associated with a discovery request is exactly the same as the one of  $r_R$ . In contrast, the Plug-In Match defines that  $r_Q$  needs to be at least a subset of  $r_R$ ; the Subsumption Match denotes the inverse relationship. The Intersection Match defines a match to be given if there is at least one object that can satisfy both  $r_Q$  and  $r_R$ . It is important to notice the different intentions on matchmaking behavior when applying these notions for object matchmaking, as each notion determines different discovery results. Figure 4 shows the definition of the five matchmaking notions along with their respective matchmaking intentions. We refer to [8] for detailed definition and discussion.



**Figure 4: Set-based Matchmaking Notions**

Set-based object modeling and its formal representation in a logical language  $L$  ensure precise and unambiguous semantics of object definitions in resource descriptions, and the applied matchmaking notions provide an accurate theoretical basis for high precision object matchmaking. Before addressing the application of the action and object knowledge discovery techniques, we first explain the technical realization of object matchmaking.

### 3.3. Object Matchmaking with VAMPIRE

For a research prototype, we used VAMPIRE as the technical platform for realization of object matchmaking, a resolution-based theorem prover for first-order classical logic with equality [12].

The reason for choosing a theorem prover was that the proof obligations for object matchmaking are verified by determining the provability on basis of the structure and semantics of logical formulas; the language for the description of the involved resources as well as the ontologies should not be artificially restricted for the prototype. As a consequence, the resulting proof obligations do in general not fall into a specialized subset of  $L$  for which alternative approach than general-purpose theorem proving can be used.

VAMPIRE has been chosen because of its excellent performance in comparison to other systems for automated theorem proving and its capabilities for ontology reasoning [16]. Since WSML has been chosen as a rich modeling language for the description of goals, Web Services and Ontologies, we implemented a translation of WSML descriptions to specifications in First-order Predicate Logic used by VAMPIRE.

The only domain knowledge needed for object matchmaking with a theorem prover is the schemas of the used domain ontologies (i.e. taxonomy of concepts and relations, and axioms), and so-called *generic instances* for all ontology concepts. Roughly speaking, generic instances are formulae which represent the space of possible instances of the universe  $U$  relative to applied matchmaking notion. Hereby,  $U$  is mainly determined by the ontologies  $O$  which are used for the resources descriptions. The proof obligations to be checked for object matchmaking are generated at runtime, containing the universe definition, the resource descriptions to be matched, and the respective matchmaking notion as defined above.

When restricting the description language for resources, it would be possible to exploit deductive database systems for checking the set-based matchmaking notions relative to a knowledge base. As a consequence, we would expect substantial performance enhancements since the reasoning task performed in deductive databases is more specialized and a lot simpler than general-purpose theorem proving. Further use cases have to show whether the required restriction of the description languages is feasible.

## 4. Discovery Components

After explaining the theoretical basis for semantically driven discovery, the following presents the architecture of the components for partner and service discovery.<sup>2</sup>

The architecture of the discovery components follows a common structure wherein we define a Discovery Request  $Q$  as the input for a discoverer and a Discovery Result  $R$  as its output;  $Q$  and  $R$  can be associated with any type of resource that is refined in specific discoverers according to their functionality.  $Q$  carries all knowledge that is necessary to detect matching resources, which is comprised of the associated

<sup>2</sup> We have realized the components for partner and service discovery in course of the Semantic Web Fred project, wherein the collaboration system outlined in Section 2 is being developed. The components are available as open source components on the project website: <http://swf.deri.at/>, along with a Web Service interface for VAMPIRE at <http://dev1.deri.at:8080/vampire/services>.

resource along with its reference to the action-resource ontology, and the matchmaking notion to be applied for each the object definition in the resource description. In consequence,  $R$  contains a set of resources that match  $Q$  with regard to the associated knowledge.

The modularized components for partner and service discovery are executed concurrently and independent of each other. Their respective discovery results are dynamically combined as a preliminary collaboration which is then further processed in the collaboration system outlined in Section 2. Each component realizes a layered architecture in order to subsequently narrow the search space and thus minimize the amount of resources that need to be considered for computationally expensive operations.

The architecture of the Partner Discoverer as well as the one of the Service Discoverer rely on the distinction of two goal notions in the system: first, so-called Goal Templates  $GT$  are goals predefined at design time whereof Goal Instances  $GI$  are created of during runtime in order to specify a concrete goal assigned to an agent.  $GT$ s are supposed to be reused for creating several  $GI$ s by refinement of a  $GT$ . Hence, relations between  $GT$ s can be pre-computed and reused across several  $GI$ s. Considering that in typical applications, there are only a few  $GT$ s while possibly numerous  $GI$ s are created during runtime, the components' architectures rely on the relationship of  $GT$ s and  $GI$ s in order to enhance performance.

The semantic description of goals is aligned with the definition of WSMO goals [13]. For action knowledge, a Goal Template refers to an instance of goals in the action-resource (see Figure 3). Object knowledge is described in a *postcondition* that denotes an object definition that satisfies the user objective and is expected as computational result of service usage, and an *effect* that denotes the object that is supposed to exist in the world after successful goal resolution. A Goal Instance inherits the description of its corresponding  $GT$ , whereby object definitions in the postcondition and effect can be refined in order to express to the concrete objective (meaning that either the range of attribute values can be narrowed, or concrete attribute values are defined conform to the respective ontology schema). In addition, a  $GI$  carries a *submission* that defines ontology instances as those objects which are intended to be submitted as input to a Web Service.

#### 4.1. Partner Discoverer

The Partner Discoverer detects potential collaboration partners by determining the compatibility of their goals. This is given if the actions of goals are compatible, and if their object definitions match with respect to

the applied notion for object matchmaking. Within the collaboration framework, agents can be assigned with different goals during their life time, so that an agent can participate in several collaborations wherein his role is indicated by a specific goal.

According to the general structure of discovery components outlined above, the Discovery Request of the Partner Discoverer  $Q_{PD}$  is associated with a goal that has been assigned to an agent for automated resolution. The description of this goal carries a reference to a resource type defined in the action-resource ontology, and the object definitions in the respective description notions along with the matchmaking notion to be applied. The Discovery Result of the Partner Discoverer  $R_{PD}$  is a set of goals which are assigned to different agents and match  $Q_{PD}$ , thus indicating potential collaboration partners.

The structure of Goal Templates and Goal Instances together with the refinement semantics of Goal Instances implies the following relation concerning goal compatibility:

$$\text{if } \text{instanceOf}(GI_x, GT_x) \text{ (} x = 1, 2 \text{) then} \quad (2) \\ \text{compatible}(GI_1, GI_2) \Rightarrow \text{compatible}(GT_1, GT_2)$$

The architecture of the Partner Discoverer shown in Figure 5 relies on this relation. The Goal Instance  $GI_i$  associated with the Discovery Request is instance of a Goal Template  $GT_i$ , wherefore the Cooperation Knowledge Filter detects Goal Templates  $\{GT_{com}\}$  that are compatible to  $GI_i$ . Then, the GG Matcher matches  $GI_i$  with those  $GI$ s that are instances of a  $GT_{com}$ , detecting sets of Goal Instances  $\{GI_{com}\}$  that are compatible to  $GI_i$ ; each set  $GI_i \cup \{GI_{com}\}$  represents a potential collaboration whereby the cardinality of the set denotes the arity of the collaboration.




Figure 5: Partner Discoverer Architecture

As discovery techniques, the Cooperation Knowledge Filter determines action compatibility on basis of the resource type defined in the Goal Templates. The GG Matcher performs object matchmaking of the post-

conditions and effects of Goal Instances, applying the matchmaking notions defined in  $GT_i$ .

The Partner Discoverer supports detection of multi-party collaborations on basis of the symmetry of the *compatibleActions*-attribute of actions, and the set-valued *hasAction*-attribute resources in the action-resource ontology. For example,  $GT_i$  is associated to the action 'purchase' and the action-resource ontology defines 'sell' and 'deliver' are defined as to be compatible with 'purchase', then goals with the actions 'sell' as well as 'deliver' are detected as a set  $GT_{com}$ ; for object matchmaking, the union of the object definitions of  $GI_{com}$  has to be matched with the one of  $GI_i$ .

## 4.2. Service Discoverer

For collaboration establishment in our approach, the Service Discoverer detects Web Services that can be used by potential cooperation partners for automated collaboration execution. Service usability in this framework is given if the actions of the goal carried by an agent are equal to those of the service, and if the object definitions in corresponding description elements of the goal and the service match with respect to the applied matchmaking notion.

The functional service description used for service discovery is defined in a service capability as defined in WSMO [13]. A capability refers to a service type in the action resource ontology, and is comprised of four object definitions: a *precondition* defines the constrained input requested by the service, *assumptions* define constraints on the world that have to hold before the Web Service can be executed, a *postcondition* defines the output of the service with conditions on this, and *effects* describe changes in the state of the world that result from the service execution. The functional service description of a Web Service applies the set-based modeling approach described above.

The Service Discoverer is specified as follows: the Discovery Request  $Q_{SD}$  is associated with a goal that has been assigned to an agent for automated resolution, carrying the reference to the resource type and the object definitions along with the matchmaking notion to be applied. The Discovery Result  $R_{SD}$  is a set of services that match  $Q_{SD}$  according to the information given in request  $Q_{SD}$ . Similar to the Partner Discoverer, the architecture of the Service Discoverer relies on the relation of Goal Templates and Goal Instances as the following holds:

$$\text{if } \text{instanceOf}(GI_x, GT_x) \text{ then} \quad (3)$$

$$\text{match}(GI_x, S_y) \Rightarrow \text{match}(GT_x, S_y)$$

This allows a layered architecture that consists of two subsequent building blocks as shown in Figure 6.

The first one is the Pre-Selector that detects usable Services for Goal Templates. It is invoked at system setup time, i.e. whenever a new Goal Template or Service is deployed in the system; for each Goal Template  $GT$ , a set of matching Services  $\{S_{GT}\}$  is determined as an intermediary discovery result. This is used as input for the GIS Matcher that determines the services that match the Goal Instance  $GI_i$  associated with the Discovery Request  $Q_{SD}$ ; therefore, the intermediary discovery result  $\{S_{GT-i}\}$  of the Goal Template  $GT_i$  is matched with  $GI_i$ .




Figure 6: Service Discoverer Architecture

The Pre-Selector is comprised of two discovery functionalities. The first one is the Service Filter that selects services out of the Service Repository that have action equality with existing Goal Templates:  $\{S_{filter}\} = \text{action-equality}(S, GT)$ , based on the resources types defined in the action-resource ontology. Then, object matchmaking on postconditions and effects is performed on  $\{S_{filter}\}$ , deriving the intermediary discovery results  $\{S_{GT}\}$  that contains all matching services for each existing Goal Template  $GT$ .

The GIS Matcher performs matchmaking of the invoking Goal Instance  $GI_i$  with  $\{S_{GT-i}\}$  as those services of  $\{S_{GT}\}$  that have been detected for  $GT_i$  corresponding  $GI_i$ . As action knowledge discovery is already completed within the Pre-Selector, the GIS Matcher only performs object matchmaking.

This is achieved in a two-step process. At first, the satisfiability of the precondition and assumption in the service description by the submission of the Goal Instance is investigated. These parts of the service description define conditions that have to hold before the service can be executed; they have to be satisfied by the concrete input provided to the Web Service, in our case the submission described in goal instances  $GI_i$ :

$$\forall x. GI_{\text{submission}}(x) \Rightarrow \quad (4)$$

$$S_{\text{precondition}}(x) \wedge S_{\text{assumption}}(x)$$

Evaluating this satisfiability can result in three states: exact satisfaction, oversatisfaction, or undersatisfaction. While the former two do not affect service usability, for the latter the user is notified and can

choose whether to submit additional information to complete the input needed for the Web Service or to cancel the service usage. If the satisfiability of preconditions and assumptions is given, the GIS Matcher performs object matchmaking on postconditions and effects between  $GI_i$  and the respective services (for specific inputs that satisfy the precondition and assumptions), resulting in the final discovery result  $R_{SD}$  that contains those services that can be used by the goal owner for automated cooperation execution.

### 4.3. Test and Evaluation Results

In order to test and evaluate the components for partner and service discovery, we defined an exhaustive use case in a virtual marketplace for purchasing furniture that contains several goals, services, and agents of marketplace participants. While the complete resource models and testing results are provided in [15], we summarize here the most relevant findings on usability and performance of the components.

The first important finding concerns the need for distinction of action and object knowledge as well as different discovery techniques for these. The use case contains several goals and services for buyers and sellers, which carry references to the respective actions in the action-resource ontology. When only performing object matchmaking, the discovery result contained resources that are not intended to be matching; for example, partner discovery for a 'buyergoal' detected other 'buyergoals' that satisfied object matchmaking; similar effects have been recognized within service discovery. Although the object definitions in the resources have been modeled correctly regarding the intended meaning, this emphasizes that action knowledge definitions along with compatibility notions is needed in order to ensure correct discovery results.

Regarding the performance of the discovery components, the proof obligations for object matchmaking with VAMPIRE have been found in 1-2 second maximum in average (testing environment: Linux Red Hat 9.0 on a Pentium 4 IBM machine); more complex proofs including convoluted axiomatic expressions can take significantly longer. We noticed that object structures without complex axiomatic definitions are most the common case in resource descriptions. Also, we regard correctness of matchmaking to be more important than celerity. In this respect, the performance can be considered as accurate with regard to the functional requirements. A prototype based on a deductive database system is an alternative with better performance characteristics. This is subject to future research.

As a final aspect we like to mention feedback from users that we gained throughout our project work. The

users have mainly been system developers that usually work with conventional technologies and applied our technology for developing end-user applications. These users regarded exhaustive tool support as very important that is provided to applications developers as well as for end-users that 'hides' the logical aspects. For example, an end-user interface has been requested that allows creation and edition of goals without enforcing the user to formulate logical expressions; for developers, tool support has been requested that minimizes the effort for creation of resource description and deployment. Furthermore, abandonment of expressivity has been accepted in order to enhance usability. These requests show that 'conventional system developers' regard tool support and automation for system development and maintenance as very important; we mention this here explicitly in order to point attention and awareness to these issues that we believe are crucial for success and usage of semantic technologies.

### 5. Conclusions and Related Work

In this paper we have outlined an approach for automated collaboration support with Semantic Web Services and presented the theoretical basis as well as the realization of semantically driven partner and service discovery as core components for collaboration establishment. The following depicts the main outcomes of our work and discuss related work.

The first aspect to be addressed is the approach for collaboration support with Semantic Web Services, regarding expedient combination of the key technologies identified for the Semantic Web. To our understanding, our conceptual model attains an accurate assembly of technologies according for supporting automated collaboration on the Semantic Web. The main merit of the framework is that collaborations between entities is automatically executed by interaction of services; thereby, ontologies are used in order to ensure semantically correct information interchange, and other semantically described resources provide supplementary constructs that enable automated and high precision detection of potential collaborations. While several approaches for Web Service discovery rely on a requester-provider model, comparable conceptual models have been developed for collaborative multi-agent systems wherein autonomous agents interact via services, using ontologies as the semantic data model [9]. We believe that conceptual models like the one presented are appropriate for collaboration support on the Semantic Web as they support collaboration of symmetric partners and abstract from service usage models with restrictive roles.

The second aspect to be considered is the techniques for semantic discovery. Although the distinction of actions and objects as different types of knowledge that is used for describing Web Services and related resources has not been defined clearly yet, the idea of using resource classifications as filters for discovery has been supposed. For example, the METEOR-S project defines an OWL-S service profile hierarchy that classifies the types of services according to action knowledge and applies this as a pre-filter for discovery [11]. However, this approach does not explicitly model action knowledge and the relation to resources as within the action-resource ontology, and thus does not support inference-based filtering on more complex resource structures. Also, the functional need for applying both action and object knowledge discovery techniques has not been considered so far.

Concerning object matchmaking, several related approaches and techniques have been developed in recent research efforts. For example, [6] applies subsumption reasoning on basis of Description Logics for semantic service discovery, while [1] applies rewriting techniques in order to establish matching of a service usage request with OWL-S profiles. However, these techniques lack of generalized matchmaking notions as well as in precision of discovery results. The framework for Web Service Discovery in WSMO [8] that we have applied and extended relies on an exhaustive study of existing work and combines these into a concise theoretical basis for high precision object matching, wherefore VAMPIRE provides a suitable technical platform.

The final aspect to be mentioned is the appropriate combination of different discovery techniques as we have realized within the partner and service discoverer. In most of the above mentioned approaches for semantically enabled discovery, such combinations are favored; Also, layered architectures for Web Service discoverers are regard as the most appropriate solutions to ensure efficient handling of possibly numerous resources; in this respect, the architecture of the partner and service discovery components provide a prototypical solution for effective discoverer architectures. Furthermore, as it is expected that not all Semantic Web Services descriptions follow the same framework, collections of different techniques are considered for sophisticated support for Web Services.

#### Acknowledgements

The work presented here has been achieved within the Semantic Web Fred project (see project homepage: <http://swf.deri.at>). We like to thank Peter Zugmann and Bernhard Keimel from Quarto Software, Vienna,

for project collaboration, and the members of the WSMO working group for fruitful input.

## 6. References

- [1] B. Benatallah, M-S. Hacid, C. Rey, and F. Toumani: *Request rewriting-based web service discovery*. In The Semantic Web - ISWC 2003; pp. 242–257.
- [2] Berners-Lee, T.; Hendler, J.; Lassila, O. (2001): *The Semantic Web. A new form of Web Content that is meaningful to computers will unleash a revolution of new possibilities*. In: Scientific American May 2001.
- [3] R. Davis and R. G. Smith. *Negotiation as a metaphor for distributed problem solving*. Artificial Intelligence, 20(1):63-109, January 1983.
- [4] de Bruijn, J, (Ed.): *The Web Service Modeling Language WSML*. WSML Working Draft D16.1, final version 0.2, 20-Mar-2005; [www.wsmo.org/TR/d16/d16.1/](http://www.wsmo.org/TR/d16/d16.1/)
- [5] Fensel, D.: *Ontologies. A Silver Bullet for Knowledge Management and E-Commerce*. 2nd Edition. Berlin, Heidelberg: Springer, 2003.
- [6] J. Gonzalez-Castillo, D. Trastour, C. Bartolini. *Description logics for matchmaking of services*. In Workshop on Applications of Description Logics, 2001.
- [7] Li, L. and Horrocks, I.: *A software framework for matchmaking based on semantic web technology*. In Proceedings of the 12<sup>th</sup> International Conference on the World Wide Web, Budapest, Hungary, May 2003.
- [8] Keller, U.; Lara, R.; Polleres, A. (eds.): *WSMO Web Service Discovery*. WSML Working draft D5.1, 12 November 2004; [www.wsmo.org/2004/d5/d5.1/v0.1/](http://www.wsmo.org/2004/d5/d5.1/v0.1/)
- [9] Martin, D. L.; Cheyer, A. J.; Moran, D. B.: *The Open Agent Architecture: A Framework for Building Distributed Software Systems*. Applied Artificial Intelligence, vol. 13, no. 1-2, 1999; pp. 91-128.
- [10] The OWL-S Coalition: *OWL-S 1.1 Release*, November 2004; available at: [www.daml.org/services/owl-s/1.1/](http://www.daml.org/services/owl-s/1.1/)
- [11] M. Paolucci, T. Kawamura, T. Payne, and K. Sycara: *Semantic matching of web services capabilities*. Proceedings of the First International Semantic Web Conference, Springer-Verlag, 2002; pp 333-347.
- [12] Riazanov, A.; Voronkov, A.: *The design and implementation of VAMPIRE*. AI Communications 15(2), Special Issue on CASC, 2002; pp. 91 -110.
- [13] Roman, D.; Lausen, H.; Keller, U. (eds.): *The Web Service Modeling Ontology WSMO*. WSMO Working Draft D2, final version 1.2, 13 April 2005; [www.wsmo.org/2004/d2/](http://www.wsmo.org/2004/d2/).
- [14] Stollberg, M.; Roman, D.; Toma, I.; Herzog, R.; Zugmann, P.; Fensel, D.: *Semantic Web Fred - Automated Goal Resolution on the Semantic Web*. In Proceedings of the 38th Hawaii International Conference on System Science (HICSS-38), January 2005.
- [15] Stollberg, M. (ed.): *SWF Use Case*. WSMO Working Draft D3.5, 19 Oct 2004; [www.wsmo.org/2004/d3/d3.5](http://www.wsmo.org/2004/d3/d3.5)
- [16] Tsarkov, D.; Riazanov, A.; Bechhofer, S.; Horrocks, I.: *Using Vampire to Reason with OWL*. In Proceedings of the 3rd International Semantic Web Conference (ISWC 2004), 2004.